



# Shree Balaji Test Lab (Pvt.) Ltd.

ISO 9001 : 2008 CERTIFIED  
GOVT. APPROVED TESTING LAB



Approval No. : SW/001/LAB/2010

(Form-39)

C-181, Naraina Industrial Area,  
Phase-1, New Delhi-110028  
Ph. : 011-47243939, Mob. : 07838654928  
E-mail : sbtl.lab@gmail.com  
sharmasbtl@yahoo.com

## CERTIFICATE OF ANALYSIS

See rule 150-E(f) Under The Drugs & Cosmetics Act. 1940 and the rules thereunder

Submitted By	: M/s SHREE VENKATESH INTERNATIONAL LTD 2440-41, New Bombay Market, Ring Road, Umarwada, Surat-390010, Gujarat-India	Report No.	: SBTLE-220216089
Sample	: TREBOL-100 INECTION	Received On	: 22/02/2016
Mfd By	: AS ABOVE	Mfg.Lic.No.	: NS
Supplied By	: AS ABOVE	Ref No.	: NS
Batch No	Mfg.Date	Expiry Date	Ref Date
SI-043	09/2015	08/2018	21/02/2016
		Batch Size	Sample Qty
		NS	5 Ampoules

## RESULTS OF ANALYSIS

Description : Yellow oily solution filled in colourless glass ampoules.

Assay : Each ml Contains:-

	Result	Claim	Limits	Protocol
Trenbolone Acetate	: 97.29mg	100.0mg	90.0mg to 110.0mg	SBTL-T-055

(Note: Sample consumed in analysis)

Note : Party asked for above test only.

24 Feb 2016

DATE OF COMPLETION

PERSON-IN-CHARGE OF TESTING

1. Sample (s) not drawn by us unless otherwise Stated.
2. Total Liability of Our Analytical Division is Limited to the invoiced amount only.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes.
5. Results given in report are related to sample Tested