



Shree Balaji Test Lab (Pvt.) Ltd.

ISO 9001 : 2008 CERTIFIED
GOVT. APPROVED TESTING LAB



Approval No. : SW/001/LAB/2010

(Form-39)

C-181, Naraina Industrial Area,
Phase-1, New Delhi-110028
Ph. : 011-47243939, Mob. : 07838654928
E-mail : sbtl.lab@gmail.com
sharmasbtl@yahoo.com

CERTIFICATE OF ANALYSIS

See rule 150-E(f) Under The Drugs & Cosmetics Act. 1940 and the rules thereunder

Submitted By	: M/s SHREE VENKATESH INTERNATIONAL LTD 2440-41, New Bombay Market, Ring Road, Umarwada, Surat-390010, Gujarat-India	Report No.	: SBTLF-220216092
Sample	: PARABOL-76.5 INJECTION	Received On	: 22/02/2016
Mfd By	: AS ABOVE	Mfg.Lic.No.	: NS
Supplied By	: AS ABOVE	Ref No.	: NS
Batch No	: Mfg.Date	Expiry Date	: Ref Date
SI-054	: 10/2015	: 09/2018	: 21/02/2016
		Batch Size	: Sample Qty
		: NS	: 5 Ampoules

RESULTS OF ANALYSIS

Description : Light yellow oily solution filled in colourless glass ampoules.

Assay : Each 1.5ml contains:-

	RESULT	CLAIM	LIMITS	PROTOCOL
Trenbolone Hexahydrobenzyl Carbonate	: 75.02mg	76.5mg	68.85mg to 84.15mg	SBTL-T-067

(Note: Sample consumed in analysis)

Note : Party asked for above test only.

23 Feb 2016

DATE OF COMPLETION

PERSON-IN-CHARGE OF TESTING

1. Sample (s) not drawn by us unless otherwise Stated.
2. Total Liability of Our Analytical Division is Limited to the invoiced amount only.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes.
5. Results given in report are related to sample Tested