



Shree Balaji Test Lab (Pvt.) Ltd.

ISO 9001 : 2008 CERTIFIED
GOVT. APPROVED TESTING LAB



Approval No. : SW/001/LAB/2010

(Form-39)

C-181, Naraina Industrial Area,
Phase-1, New Delhi-110028
Ph. : 011-47243939, Mob. : 07838654928
E-mail : sbtl.lab@gmail.com
sharmasbti@yahoo.com

CERTIFICATE OF ANALYSIS

See rule 150-E(f) Under The Drugs & Cosmetics Act. 1940 and the rules thereunder

Submitted By : M/s SHREE VENKATESH INTERNATIONAL LTD
2440-41, New Bombay Market, Ring Road,
Umarwada, Surat-390010, Gujarat-India

Report No. : SBTLF-220216069
Received On : 22/02/2016
Mfg.Lic.No. : NS

Sample : TAMOFAR TABLETS

Ref No. : NS

Mfd By : AS ABOVE

Ref Date : 21/02/2016

Supplied By : AS ABOVE

Batch No : Mfg.Date
ST-051 10/2015

Expiry Date
09/2018

Batch Size : Sample Qty
NS 20 Tabs

RESULTS OF ANALYSIS

Reference : Tamoxifen tablets BP.

Description : Almost white round flat uncoated tablets, having scored on one side and inscribed with 'SHREE' on other side.

Average weight : 211.3mg

Assay : Each uncoated tablet on an average contains:-

	Result	Claim	Limits	Method
Tamoxifen Citrate eq. to Tamoxifen	19.77mg	20.0mg	18.0mg to 22.0mg	BP

(Note: Sample consumed in analysis)

Note : Party asked for above test only.

23 Feb 2016

DATE OF COMPLETION

PERSON-IN-CHARGE OF TESTING

1. Sample (s) not drawn by us unless otherwise Stated.
2. Total Liability of Our Analytical Division is Limited to the invoiced amount only.
3. Sample will be destroyed after one month from the date of issue of test certificate unless otherwise specified.
4. Test Certificate in full or parts shall not be used for Promotional or Publicity Purposes.
5. Results given in report are related to sample Tested